



## Product Description

The SLC-Box Zhaga Connection is a connection unit equipped with one or two Lumawise Endurance S (Zhaga socket).

It serves as an interface through which compatible esave Zhaga controllers (e.g., SLC-Hub, SLC-Motion) can be connected via plug-and-play.

The box itself has no control or communication functionality

## Benefits

- Standard Zhaga Socket für Plug and Play controller integration
- Flexible mounting options (wall or pole installation)
- Robust housing for outdoor environments

## Features

### Retrofit for Luminaires



Enables external mounting of Zhaga controller on poles or walls allowing existing luminaires to be upgraded

### Plug and Play Integration



Equipped with one or two standard Lumawise Endurance S socket for plug and play controller integration


### Flexible Installation




Integrated fixing options in the housing allow direct installation on walls or poles




## Dimensions




## Wall



## Pole



## Wiring Diagram



## Housing

Material	TBD
Temperature range	TBD (-20 ... +80°C)
Protection Class	TBD (IP 65)
Fire Class	TBD (UL 94 HB)
Color	TBD

## Cable Gland

Material	Polyamide
Membrane	PTFE
Temperature range	-20 ... +100 °C
Protection Class	IP 66 / 67
Cable Diameter	4 – 7 mm

## Zhaga Socket

Standard	Zhaga interface
Temperature range	-40 ... +90 °C
Protection Class	IP 65/66